CITY OF SKY VALLEY INVITATION TO BID

The City of Sky Valley is requesting informal bids for the installation of a fence at the Highway 246 Scenic Overlook, located at 2978 Highway 246, Sky Valley, GA. Materials will be supplied by the City as stated in the bid documents. Copies of the bidding documents may be obtained at the Sky Valley City Hall, 3444 Highway 246, Sky Valley, GA 30537 or on the City's website at www.skyvalleyga.com.

Quotes shall include all labor, equipment and miscellaneous materials not included in the bid documents that will be necessary to complete the job. The building permit will be supplied by the City of Sky Valley. Proof of workers compensation and liability insurance will be required upon notification of acceptance of the quote by the City. The bid form including the specifications must be used in submitting a quote.

Responses must be emailed to citymanager@skyvalleyga.com or mailed to Ella Fast, City Manager, City of Sky Valley, 3444 Highway 246, Sky Valley, GA 30537, and must be received by 12:00 PM, Monday, April 9, 2019. It is the responsibility of the responders to assure their quotes arrive at the proper location by the time indicated. Late quotes will not be accepted or considered.

The City of Sky Valley reserves the right to waive any requirements and/or specifications included, to reject any or all quotes, waive technicalities or informalities, and to accept any quote that in its judgment best services the interest of the City and is deemed to be more suitable for its needs.

Ella Fast City Manager

CITY OF SKY VALLEY

REQUEST FOR QUOTES

Monday, April 9, 2019 at 12:00 PM

REQUEST FOR QUOTES – SCENIC OVERLOOK FENCE

The City of Sky Valley is requesting quotes for the installation of 216 feet of fencing to replace the columns and railroad ties at the scenic overlook located at 2978 Highway 246, Sky Valley, GA. Demolition of the existing fence will be done by the City.

Materials to be supplied by City:

(28) 8" x 8" pressure treated posts

(54) 4" x 6" x 8" pressure treated rails

(108) 6" x 3/8" hexhead lag bolt, galvanized

Quotes shall include all labor, equipment and other miscellaneous materials not included above which will be necessary to complete the job. The building permit will be supplied by the City of Sky Valley. Proof of workers compensation and liability insurance will be required upon notification of acceptance of the quote by the City.

This form including the specifications must be used in submitting a quote. Responses must be emailed to citymanager@skyvalleyga.com or mailed to Ella Fast, City Manager, City of Sky Valley, 3444 Highway 246, Sky Valley, GA 30537, and must be received by 12:00 PM, Monday, April 9, 2019. It is the responsibility of the responders to assure their quotes arrive at the proper location by the time indicated. Late quotes will not be accepted or considered. The City of Sky Valley reserves the right to waive any requirements and/or specifications included, to reject any or all quotes, waive technicalities or informalities, and to accept any quote that in its judgment best services the interest of the City and is deemed to be more suitable for its needs.

Total Quote		
Amount		
Vendor (Firm) Name Availability to Start Work		
	(Signature)	

HIGHWAY 246 OVERLOOK WALL REPAIR CITY OF SKY VALLEY GEORGIA, 30537 144' -EXISTING CONCRETE POST FOR REFERENCE, POST ASPHALT DRIVING SURFACE 8 NOTES: SEE DETAIL A 1. ALL WOOD IS REQUIRED TO BE PRESSURE TREATED, FOR POST TOP 8" X 8" PRESSURE 2. ALL WOOD POSTS TO BE SOLID, STRAIGHT AND VERTICALLY LEVEL. TREATED POST 6" LG X %" DIA. , 3. ALL 8 FOOT RAILS TO BE SOLID AND STRAIGHT. HEXHEAD LAG BOLT, LEVELLING 4. EACH RAIL TO BE SECURED WITH TWO 6" LAG BOLTS ON EACH END. GALVANIZED 5. EACH POST TOP TO BE ANGLED AS SHOWN IN DETAIL A. 6. A TOTAL OF 27 EIGHT FOOT FENCE SECTIONS ARE REQUIRED. 7. FENCE LINES BETWEEN POSTS (B), AND (B) (C) SHOULD BE AS STRAIGHT AS PRACTICAL. CONCRETE N DETAIL FOR FILL IN RAIL ANCHORNY (TYP.) TOP YIEW EARTH 2.FT 8"x 8" STRAIGHT, SOLID POSTS (TYP.) POST ROCK OF CONCRETE BASE SNUG FIT NOTCH FOR FRONT VIEW DETAIL 4x6 RAILS (TYP) TOP RAILING X 6" x 8' PRESSURE TREATED SIDE SIDE SIDE WITH EIGHT FOOT FENCE SECTION (TYP.) (27 TOTAL SECTIONS ARE REQUIRED)